

BAG CLOSURE CATALOG EUROPE






TABLE OF CONTENTS

HAND APPLIED BAG CLOSURES

Series A & B:	Page 4
Series F & G:	Page 5
Series AM:	Page 6
Series V:	Page 7
Series W:	Page 8

HAND APPLIED BAG CLOSURE-LABELS

Series C:	Page 9
Series MS:	Page 10
Series PS:	Page 11
Series P-100:	Page 12
Series T-210:	Page 13
Series U34:	Page 14

BAG CLOSURES WITH DISPENSERS

Series AA & AB:	Page 15
Series FA & GA:	Page 16
Series AE:	Page 17
Series CA (Closure-Labels):	Page 18
Supermarket Bulk Foods Labels: (Series CB-1 & 2, CB2-R, MS-B1 & B2, PS-B1 & B2):	Page 19
Series DJ:	Page 20
Series DV & DV-STK:	Page 21
Series JSRC:	Page 22

SEMI-AUTOMATIC BAG CLOSURES

Series R & S:	Page 24
Series RJ:	Page 25
Series RL & SL (including RLP & SLP):	Page 26
Series RLS & RLSP:	Page 27

SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series CR:	Page 28
Series L:	Page 29
Series U:	Page 31

AUTOMATIC BAG CLOSURES

Series BK2C-57:	Page 33
Series J-NRP & K-NRP:	Page 34
Series JM-NRP, KM-NRP & KM57-NRP:	Page 35
Series KW-NRP:	Page 36
Series V-NRP:	Page 37
Series Z-NRP:	Page 38

AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ:	Page 39
Series M:	Page 41
Series P, PF & P-200:	Page 42
Series T, TF & T-220:	Page 44

APPENDIX

Pre Printed Bag Closure Information:	Page 46
Bag Closure-Label Information:	Page 48
Series C & CA:	Page 53
Series CJ:	Page 54
Series CFJ:	Page 56
Series CR:	Page 58
Series L:	Page 59
Series M, MS:	Page 60
Series P:	Page 61
Series PF:	Page 62
Series PS:	Page 63
Series P-100:	Page 64
Series P-200:	Page 65
Series T:	Page 66
Series TF:	Page 68
Series T-210:	Page 70
Series T-220:	Page 71
Series U:	Page 73
Series U-34:	Page 74
Dispensers:	
63-DJ and 64-DV Dispensers:	Page 75
68-DJ and 69-DV Dispensers:	Page 76
70-DJ and 71-DV Valance Dispenser:	Page 77
72 Bulk Dispenser Cup:	Page 78
76A and 76B Dispensers:	Page 79
814 Produce Dispenser Kit:	Page 81
Bag Sizing Charts (Lok Opening Sizes):	Page 83
Shipping Carton Dimensions:	Page 87
Terms, Warranty, Return Merchandise Policy:	Page 88



Kwik Lok® Ltd.

Bay 72, Shannon Industrial Estate
Shannon Airport, Co. Clare, IRELAND
011-353-6--147-1193
FAX: 011-353-6-147-2683 - TELEX: 852-6252
Internet: info@kwiklok.ie



HAND APPLIED BAG CLOSURES

Series A and B

SERIES A is available with the closure openings noted at the bottom of the page.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: 500/strap, 10 straps per carton (BU-0006) 5M

..... 500/strap, 100 straps per carton (BU-0004) 50M

Minimum Order: 5,000

Approximate Shipping Weight:

..... 5M Packs: 7 Lbs (3.2 Kg)

..... 50M Packs: 67 Lbs (30.4 Kg)



MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES B is preprinted in a Kwik Lok factory with customer text and is available with the closure openings noted at the bottom of the page.

SEE APPENDIX: PREPRINTED CLOSURES FOR ADDITIONAL INFORMATION.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Ink Colors: Blue, Black and Red

Packaged: 500/strap, 10 straps per carton (BU-0006) 5M

..... 500/strap, 100 straps per carton (BU-0004) 50M


Minimum Order: 10,000 (2 cartons)

Approximate Shipping Weight:


..... 5M Packs: 7 Lbs (3.2 Kg)

..... 50M Packs: 67 Lbs (30.4 Kg)


Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long




#0




#0/1



#1



#2




#3



MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HANGER



PRINTED

THRIFTY
BAKERY



HAND APPLIED BAG CLOSURES

Series F and G

SERIES F is available with the closure openings noted at the bottom of the page.

Closure Colors available:**Red, White and Blue**

(Multi-colored packs are not available)

Packaged: For film bag opening: 350/strap, 10 straps per carton (BU-0006) 3.5M

..... 350/strap, 100 straps per carton (BU-0004) 35M

For net bag opening: 10,500 (BU-0129) or 17,500 (BU-0004)

Minimum Order: For film bag opening: 3,500

For net bag opening: 10,500

Approximate Shipping Weight:

For film bag opening: 3.5 M Packs: 6 Lbs (2.7 Kg), 35M Packs: 64 Lbs (29 Kg)

For net bag opening: 10.5M Packs: 19 Lbs (8.6 Kg), 17.5M Packs: 33 Lbs (15 Kg)



HEAVY DUTY CLOSURES
UP TO 10 lb. (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES G is preprinted in a Kwik Lok factory with customer text and is available with the closure openings noted at the bottom of the page.

SEE APPENDIX: PREPRINTED CLOSURES FOR ADDITIONAL INFORMATION.

Closure Colors available:**White, Red and Blue**

(Multi-colored packs are not available)

Ink Colors: Blue, Black and Red

Packaged: For film bag opening: 350/strap, 10 straps per carton (BU-0006) 3.5M

..... 350/strap, 100 straps per carton (BU-0004) 35M

Minimum Order: For film bag opening: 10,500 (3 cartons)



For net bag opening: 10,500

Approximate Shipping Weight:

For film bag opening: 3.5 M Packs: 6 Lbs (2.7 Kg), 35M Packs: 64 Lbs (29 Kg)

For net bag opening: 10.5M Packs: 19 Lbs (8.6 Kg), 17.5M Packs: 33 Lbs (15 Kg)

Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long




*Heavy duty closure is recommended for net bag openings.



HAND APPLIED BAG CLOSURES

Series AM

SERIES AM is manufactured with lok openings at both ends of the closure and is available with the closure openings noted at the bottom of the page.




MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)
Packaged: 500/metal strap w/10 per carton (BU-0006) 5M
.....500/metal strap w/100 per carton (BU-0004) 50M
Minimum Order:5,000
Approximate Shipping Weight: ..5 MPacks: 7.5 Lbs (3.4 Kg), 50M Packs: 67 Lbs (30.4 Kg)

Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long





HAND APPLIED BAG CLOSURES

Series V and VA



MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES V is available with the closure openings noted at the bottom of the page. Series V is packed loose and Series VA closures are placed on rods for the use with the Kwik Lok 814 Dispenser.


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: Series V loose packed, 8,000 (BU-233) 8M
Series VA.....250/rod w/32 per carton (BU-233) 8M

Minimum Order:8,000

Approximate Shipping Weight: Series Vloose, 8 M Packs: 6.6 Lbs (3 Kg)
Series VA..... on rods, 8M Packs:: 7.7 Lbs (3.5 Kg)

Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long





HAND APPLIED BAG CLOSURES

Series W



HEAVY DUTY CLOSURES
UP TO 15LB (6.8 Kg)
CONTENT WEIGHT

SERIES W is available with the closure openings noted at the bottom of the page.

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)

Ink Colors: Blue, Black and Red


Packaged:2,000 pack, 5 packs per carton (BU-0004) 10M

Minimum Order:10,000


Approximate Shipping Weight: 10M packs: 32 Lbs (14.5 Kg)

Size1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long


No 4 Lok




No 5 Lok



No 6 Lok




No TG-5Lok






HAND APPLIED BAG CLOSURE-LABELS

Series C



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

SERIES C closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 1-15/16" (4.94 cm) wide x 2-1/4" (5.72 cm) long

Corner shape of the label may be square or have rounded corners. Three round corner options are available: (See Appendix)

- 1). All four corners rounded to a 3/8" (0.95 cm) radius
- 2). Top two corners rounded to an 11/16" (1.75 cm) radius
- 3). Top two corners rounded to 11/16" (1.75 cm) radius and bottom two rounded to a 3/8" (0.95 cm) radius.

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: 500/strap, 2 straps per carton (BU-0005) 1M
..... 20 straps per carton (BU-0007) 10M

Minimum Order: 10,000

Approximate Shipping Weight: 1M packs: 3 Lbs (1.4 Kg), 10M packs: 28 Lbs (12.8 Kg)

Heavy Duty:

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged: 350/strap, 2 straps per carton (BU-0005) 700
..... 20 straps per carton (BU-0007) 7M


Minimum Order: 14,000

Approximate Shipping Weight: 700 packs: 3 Lbs (1.4Kg), 7M packs: 19 Lbs (8.6 Kg)

Packaged - NET BAG: Loose/3,000 per carton (BU-0719)

Minimum Order: 14,000

Approximate Shipping Weight - NET BAG: 3M packs: 9 Lbs (4.8 Kg)



*Heavy duty plastic is recommended for net bag openings.



HAND APPLIED BAG CLOSURE-LABELS


Series MS



SERIES MS closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size.....7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long




MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: Loose or 1,000/bag, 8,000 per carton (BU-0129)
..... 26,000 per carton (BU-0522)

Minimum Order: 26,000

Approximate Shipping Weight: ... 8M packs: 12 Lbs (5.4 Kg), 26M packs: 30 Lbs. (13.6 Kg)



*Heavy Duty plastic recommended for net bag closures



HAND APPLIED BAG CLOSURE-LABELS

Series PS



SERIES PS closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: Loose, 7,000 per carton (BU-0129)

..... 21,000 per carton (BU-0522)

Minimum Order: 21,000

Approx. Shipping Weight: 7M packs: 13 Lbs (5.9 Kg), 21M packs: 32 Lbs (14.5 Kg)



*Heavy Duty plastic recommended for net bag closures



HAND APPLIED BAG CLOSURE-LABELS

Series P-100



P-100: Front Printed by 884 Thermal Printer



P-100: Back - Custom printed at factory

SERIES P-100 closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The P-100 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. They are available with the closure openings noted at the bottom of the page. Labels are available in LEFT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.

Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged:2,000 per roll, 8 rolls per carton (BU-0203) 16M

Minimum Order: 48,000 (3 cartons)

Approx. Shipping Weight: 16M packs: 30 Lbs (13.6 Kg)


Heavy Duty:

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged:1,500 per roll, 8 rolls per carton (BU-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approx. Shipping Weight: 12M packs: 34 Lbs (15.4 Kg)










MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS. (4.5 KG)

0.045"
(0.114 cm)





*Heavy Duty plastic recommended for net bag closures



HAND APPLIED BAG CLOSURE-LABELS

Series T-210



SERIES T-210 closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The T-210 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. Series T-210 Closure-Labels are available with the closure openings noted at the bottom of the page. Labels are available in RIGHT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.

Label Size2 3/4" (6.99 cm) wide x 2 3/4" (6.99 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged:1,500 per roll, 8 rolls per carton (BU-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approx. Shipping Weight: 12M packs: 45 Lbs (20.4 Kg)



HEAVY DUTY CLOSURES
UP TO 10LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)


Heavy Duty:

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)

Packaged:1,250 per roll, 8 rolls per carton (BU-0203) 10M

Minimum Order: 50,000 (5 cartons)

Approx. Shipping Weight: 10M packs: 52 Lbs (23.6 Kg)



*Heavy duty plastic recommended for net bag openings.



HAND APPLIED BAG CLOSURE-LABELS

Series U34



SERIES U34 closure-labels can be printed in any number of colors on one or both sides. It is available with the closure openings noted at the bottom of the page. The label is printed on a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size.....3" (7.62 cm) wide x 4" (10.16 cm) long

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve** (Multi-colored packs are not available)

Packaged: 1,000 per roll, 9 rolls per carton (BU-0203) 9M

Minimum Order: 9,000

Approximate Shipping Weight: 9M Packs: 34 Lbs (15.4 Kg)

Heavy Duty:

Closure Colors available: **Red, White and Blue**

(Multi-colored packs are not available)

Packaged: 1,000 per roll, 9 rolls per carton (BU-0203) 9M

Minimum Order: 9,000

Approximate Shipping Weight: 9M Packs: 36 Lbs (16.3 Kg)




MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LB
CONTENT WEIGHT

0.045"
(0.114 cm)



*Heavy duty plastic recommended for net bag openings.



HAND APPLIED BAG CLOSURES used w/814 Dispenser

Series AA and AB

Series AA and Series AB are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

SERIES AA is available with the closure opening #0 only.



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Closure Colors available:**Orange**
Packaged:250 per rod/20 rods per carton (BU-0233) 5M
Minimum Order:5,000
Approximate Shipping Weight:5M Packs: 7.5 Lbs (3.4 Kg)

SERIES AB is available with the closure openings listed below. Series AB can also be pre-printed at the factory with customer text.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Ink Colors: Blue, Black and Red

Packaged:250 per rod/20 rods per carton (BU-0233) 5M


Minimum Order:

Unprinted5,000

Printed10,000 (2 cartons)

Approximate Shipping Weight:5M Packs: 7.5 Lbs (3.4 Kg)

Size27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long



814 Kwik Lok Dispenser

SEE APPENDIX FOR 814 DISPENSER INFORMATION



HAND APPLIED BAG CLOSURES used w/814 Dispenser Series FA and GA

Series FA and Series GA are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

SERIES FA is available with the closure openings listed below.

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)

Packaged: 175 per rod/20 rods per carton (BU-0233) 3.5M

Minimum Order: 10,500 (3 cartons)

Approximate Shipping Weight: 3.5M Packs: 7.5 Lbs (3.4 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES GA is pre-printed at the factory with customer text and is available with the closure openings listed at the bottom of the page.

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)


Ink Colors: Blue, Black and Red

Packaged: 175 per rod/20 rods per carton (BU-0233) 3.5M

Minimum Order: 10,500 (3 cartons)

Approximate Shipping Weight: 3.5M Packs: 7.5 Lbs (3.4 Kg)

Size27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long



Series GA



SEE APPENDIX FOR 814 DISPENSER INFORMATION



HAND APPLIED BAG CLOSURES used w/814 Dispenser Series AE

Series AE is designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser. They are manufactured with lok openings at each end of the closure. This design allows the packager to use one closure for a wider range of bag sizes.



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 KG)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES AE is available with the closure openings listed below.


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: 250 per rod/20 rods per carton (BU-0233) 5M

Minimum Order: 5,000

Approximate Shipping Weight: 5M Packs: 7.5 Lbs (3.4 Kg)

Size 27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long




SEE APPENDIX FOR 814 DISPENSER INFORMATION



HAND APPLIED BAG CLOSURES used w/814 Dispenser

Series CA Closure-Labels



SEE APPENDIX FOR 814 DISPENSER INFORMATION



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES CA closure-labels are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

They are available with the closure openings noted at the bottom of the page.

The closure-labels have the top two corners rounded to a 11/16" (1.76 cm) radius.

SEE APPENDIX FOR ADDITIONAL CLOSURE LABEL PRINTING INFORMATION.


Label Size1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

Closure Colors available: Red, White, Blue, Orange, Yellow, Green and Mauve
(Multi-colored packs are not available)

Packaged: 175 per rod/12 rods per carton (BU-0719) 2.1M

Minimum Order: 10,500 (5 cartons)

Approximate Shipping Weight: 21M Packs: 13 Lbs (5.9 Kg)





CLOSURE LABELS FOR BULK FOOD LABELS

GENERAL INFORMATION

Kwik Lok Corporation manufactures three sizes of closure labels for supermarket bulk food sections. These labels permit the shopper to close the bag and mark bin numbers on the package.

The Kwik Lok bag closure gives the shopper a convenient and easy method of closing the bag. The label area permits easy marking of the bin number and assures legibility at the check-out stand.

The labels can be custom printed with bar codes, store logos, slogans or other copy and graphics. Contact us for pricing and information regarding custom printed labels.

LOK OPENING SIZES*

Bulk food closures are supplied in either of two opening sizes which will accommodate most bulk food bags.


CLOSURE SPECIFICATIONS

Label Sizes: **SERIES CB:** 1-15/16" wide by 2-1/4" deep (4.92 cm x 5.72 cm)
SERIES CB-1: Blank labels
SERIES CB-2: Preprinted (PLEASE MARK BIN NUMBER BELOW)
SERIES CB1-R: Blank labels - packed on rods for 814 Dispenser
SERIES CB2-R: Preprinted (PLEASE MARK BIN NUMBER BELOW) - packed on rods for 814 Dispenser
SERIES MS: 1-3/8 wide by 7/8" deep (3.49 cm x 2.22 cm)
SERIES MS-B1: Blank labels
SERIES MS-B2: Preprinted (MARK BIN NO. BELOW)
SERIES PS: 2-3/4" wide by 7/8" deep (6.98 cm x 2.22 cm)
SERIES PS-B1: Blank labels
SERIES PS-B2: Preprinted (PLEASE MARK BIN NUMBER BELOW)

Label Material: C1S tagboard (10 pt, white))

PACKAGE SPECIFICATIONS

SERIES CB-1&2: See Series C, Medium Duty Closures for packaging information and minimum quantities.
SERIES CB1-R & CB2-R: See Series CA, Medium Duty Closures for packaging information and minimum quantities.
SERIES MS-B1 AND MS-B2: See Series MS, Medium Duty Closures for packaging information and minimum quantities.
SERIES PS-B1 AND PS-B2: See Series PS, Medium Duty Closures for packaging information and minimum quantities.





HAND APPLIED BAG CLOSURES used with Dispensers

Series DJ

SERIES DJ were designed for use in either the Type 63-DJ, 68-DJ or 70-DJ Dispensers. (See Appendix for additional dispenser information.) The closure is available with the closure openings listed below.



MEDIUM DUTY CLOSURE
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: 1,000 per roll/10 rolls per carton (BU-0906) 10M

Minimum Order: 10,000

Approximate Shipping Weight: 10M Packs: 9 Lbs (4.1 Kg)

Size..... 7/8" (2.22 cm) wide x 27/32" (2.14 cm) long



TYPE 63-DJ DISPENSER
(68-DJ & 70-DJ not shown)



HAND APPLIED BAG CLOSURES used with Dispensers Series DV and DV-STK

SERIES DV and DV-STK were designed for use in either the Type 64-DV, 69-DV or 71-DV Dispensers. (See Appendix for additional dispenser information.)

SERIES DV is available with the closure openings listed below.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: 1,250 per roll/10 rolls per carton (BU-0906) 12.5M

Minimum Order: 12,500

Approximate Shipping Weight: 12.5 M Packs: 9 Lbs (4.1 Kg)

SERIES DV-STK is available with the closure opening GP-1 only.

Closure Colors available: **Orange and Green**
(Multi-colored packs are not available)

Packaged: 1,250 per roll/10 rolls per carton (BU-0906) (12.5M)

Minimum Order: 12,500


Approximate Shipping Weight: 12.5 M Packs: 9 Lbs (4.1 Kg)



MEDIUM DUTY CLOSURES
UP TO 3 LBS 1.4 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)

Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long




TYPE 64-DV DISPENSER
(69-DV & 71-DV not shown)



HAND APPLIED BAG CLOSURES


Series JSRC Dispenser

SERIES JSRC is packed loose in a carton dispenser. The carton has a pull-down opening allowing the loose closures to be individually used in a manual bag closing application. Closures dispensed from the carton offer an inexpensive, practical way of offering the preferred Kwik Lok® on bagged packages. The closure is available with the closure openings shown below.



Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)
Dispenser Carton Size:..... 4.72" x 5.12" x 8.27" (12 cm x 13.5 cm x 8.27 cm)
Packaged: Loose, 3,000 per dispenser/ 10 dispensers per carton (BU-0522) 30M
Minimum Order: 30,000 (1 carton)
Approximate Shipping Weight: 30M Packs: 28.66 Lbs (13 Kg)

Size **7/8" (2.22 cm) wide x 27/32" (2.14 cm) long**



Kwik Lok® designed for the consumer

EASY TO OPEN... EASY TO CLOSE... EASY TO READ

TO OPEN



TO CLOSE



A Kwik Lok package is easy to open, no confusing twisted wire to unravel. The all-plastic Kwik Lok closure snaps off in a quick simple motion. Reclosing the bag is just as easy and that makes your package consumer friendly. Your product and its package are important, why not use the best closure available?

Consumers are increasingly looking for package information such as "Sell By", unit price, etc. Kwik Lok allows you to print this information right on the closure. It is always in the same place and easy to read. Information that is overprinted on the bag graphics can be hard to locate and read.

Kwik Lok®

BAG CLOSING

BAG CODING


CONVENIENT PACKAGE



SEMI-AUTOMATIC BAG CLOSURES

Series R & S

SERIES R striploks are available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

For bag closing machines:086 and 1002

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged: Rolls of 3,000 w/6 rolls per carton (BU-0129) 18M


..... Rolls of 3,000 w/15 rolls per carton (BU-0522) 45M

Minimum Order: 18,000

Approximate Shipping Weight: 18M Packs: 19 Lbs (8.6 Kg)

..... 45M Packs: 44 Lbs (20.0 Kg)

SERIES S striploks are available with the closure openings noted at the bottom of the page.



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

For Bag Closing Machines:086 and 1002

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged: Rolls of 2,200 w/6 rolls per carton (BU-0129) 13.2M


..... Rolls of 2,200 w/15 rolls per carton (BU-0522) 33M

Minimum Order: 13,200

Approximate Shipping Weight: 13.2M Packs: 20 Lbs (9.1 Kg)

..... 33M Packs: 43 Lbs (19.5 Kg)

Size..... 27/32" (2.14 cm) wide x 1" (2.54 cm) long



*Heavy duty plastic is recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURES

Series RJ

SERIES RJ closures are available with the closure openings noted at the bottom of the page.




MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

For bag closing machines: **086 and 1003**
Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multiple colors can be packaged in each carton -
5 rolls per color minimum [7.5M])
Packaged: 1,500 roll, 10 rolls per carton (BU-0733) 15M
Minimum Order: 15,000
Approximate Shipping Weight: 15M packs: 16 Lbs (7.3 Kg)

Size..... 27/32" (2.14 cm) wide x 57/64" (2.26 cm) long





SEMI-AUTOMATIC BAG CLOSURES

Series RL & SL (Including Series RLP and SLP)

SERIES RL is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

SERIES RLP is identical to Series RL, except the label is preprinted with the words "SELL BY".

For bag closing machines: **086 and 1002**

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multiple colors can be packaged in each carton -
5 rolls per color minimum [7.5M])

Packaged: 2,500/roll, 6 rolls per carton (BU-0129) 15M

Minimum Order: 15,000

Approximate Shipping Weight: 15M Pack: 16 Lbs (7.3 Kg)



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
0.114 cm)

SERIES SL is available with the closure openings noted at the bottom of the page.

SERIES SLP is preprinted with the words "SELL BY".

For bag closing machines: **086 and 1002**

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)


Packaged: 1,850/roll, 6 rolls per carton (BU-0129) 11.1M

Minimum Order: 11,100

Approximate Shipping Weight: 11.1M Pack: 17 Lbs (7.7 Kg)

Size **27/32" (2.14 cm) wide x 1" (2.54cm) long**

Label Dimensions **3/4" (1.91 cm) x 3/8" (0.96 cm)**



*Heavy duty plastic recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURES

Series RLS & RLSP

SERIES RLS is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

SERIES RLSP is identical to Series RLS, except the label is preprinted with the words "SELL BY".



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
0.076 cm)

For bag closing machines: **1003**

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multiple colors can be packaged in each carton -
5 rolls per color minimum [6.25M])


Packaged: 1,250/roll, 10 rolls per carton (BU-0733) 12.5M

Minimum Order: 12,500

Approximate Shipping Weight: 12.5M Pack: 13 Lbs (5.9 Kg)

Size..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

Label Dimensions..... 3/4" (1.91 cm) x 3/8" (0.96 cm)





SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series CR



SERIES CR closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Corner shape of the label may be square or have rounded corners. Three round corner options are available. 1) All four corners rounded to a 3/8" (0.95 cm) radius; 2) Top two corners rounded to an 11/16" (1.75 cm) radius; 3) Top two rounded to 11/16" (1.75 cm) radius and bottom two rounded to a 3/8" (0.95 cm) radius.

For bag closing machine:086

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

Medium Duty:

Closure Colors available: Red, White, Blue, Orange, Yellow, Green and Mauve
(Multi-colored packs are not available)

Packaged:1,000/roll w/14 rolls per carton (BU-0204) 14M

Minimum Order:14,000

Approximate Shipping Weight:14M Pack: 35 Lbs (15.9 Kg)


Heavy Duty:

Closure Colors available:Red, White and Blue
(Multi-colored packs are not available)

Packaged:1,100/roll w/13 rolls per carton (BU-0203) 14.3M

Minimum Order:14,300

Approximate Shipping Weight:14.3M Pack: 42 Lbs (19.0 Kg)




MEDIUM DUTY CLOSURES
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)



*Heavy duty plastic is recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series L



SERIES L closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines:082 and 086

Label Size.....7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Medium Duty:

Closure Colors available:Red, White, Blue, Orange, Yellow, Green and Mauve
(Multi-colored packs are not available)

Packaged: 1,000/roll w/29 rolls per carton (BU-0204) 29M

Minimum Order: 29,000

Approximate Shipping Weight: 29M Pack: 55 Lbs (24.9 Kg)


Heavy Duty:

Closure Colors available: Red, White and Blue
(Multi-colored packs are not available)

Packaged: 1,000/roll w/27 rolls per carton (BU-0203) 27M

Minimum Order: 27,000

Approximate Shipping Weight: 27M Pack: 60 Lbs (27.2 Kg)



*Heavy duty plastic is recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series L



The standard Series L closure-label is printed on coated one-side tagboard. The front of the label is printed on the coated side. The coated side will permit the printing of brighter colors and sharp color illustrations.



Labels that will be printed with a printer mounted on the bag closing machine must be printed with the front on the uncoated side of the tagboard. This permits the ink to absorb into the material and prevents ink smears.

Uncoated papers are absorbent, so inks, varnishes and coatings perform differently than on coated papers. It is generally not a good idea to print four-color illustrations on the uncoated side of our tagboard.



SEMIAUTOMATIC BAG CLOSURE-LABELS

Series U



SERIES U closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: 086

Corner shape of the label may be square or have all corners rounded to a 3/8" radius.

Label Size 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

Medium Duty:

Closure Colors available: Red, White, Blue, Orange, Yellow, Green and Mauve (Multi-colored packs are not available)

Packaged: 1,000/roll, 10 rolls/carton (BU-0204) 10M

Minimum Order: 10,000

Approximate Shipping Weight: 10M Packs: 37 Lbs (16.8 Kg)



Heavy Duty:

Closure Colors available: Red, White and Blue (Multi-colored packs are not available)

Packaged: 1,000/roll, 9 rolls/carton (BU-0203) 9M

Minimum Order: 9,000

Approximate Shipping Weight: 9M Packs; 40 Lbs (18.1 Kg)



*Heavy duty plastic is recommended for net bag openings.

Kwik Lok®


**"SNAP ON"
TAGS**





AUTOMATIC BAG CLOSURES

Series BK2C-57



Size.....1-11/16" (4.29cm) wide x 1-13/16" (4.60 cm) long

SERIES BK2C-57 are designed for use on a Kwik Lok automatic bag closing machine, that tapes the closure to the outside of a filled bag. Placing the BK2C-57 on the bag allows the consumer to reclose the package after it has been opened.

Plastic Thickness:

Heavy Duty Plus - Up to 20 lbs. (9.1Kg Content Weight)..... - 0.057"

Closure Colors available: **White**

Packaged: Rolls of 950 w/8 rolls per carton (BU-0522) 7.6M

Minimum Order:

Approximate Shipping Weight:7.6M Packs: 21 Lbs (9.55 Kg)



AUTOMATIC BAG CLOSURES

Series J-NRP & K-NRP

SERIES J-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines:087, 088, 865, 872XLS, 872XLS LM, 873 and 893

For the Closure (Auto) Printer-Separator.898



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.30"
(0.076 cm)

Closure Colors available:Red, White, Blue, Cyan, Orange, Yellow, Green and
Maive (Multi-colored packs are not available)

Packaged:4,000/roll, 15 rolls per carton (BU-0522) 60M

Minimum Order:60,000

Approximate Shipping Weight:60M Pack: 48 Lbs (21.8 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.45"
(0.114 cm)

SERIES K-NRP striplok is identical to the J-NRP design, but manufactured with a heavy duty thickness. It is available with the closure openings noted at the bottom of the page.

For bag closing machines:087, 088, 865, 872XLS, 872XLS LM and 873

For the Closure (Auto)Printer-Separator.898


Closure Colors available:Red, White and Blue
(Multi-colored packs are not available)

Packaged:2,500/roll, 15 rolls per carton (BU-0522) 37.5M

Minimum Order:37,500

Approximate Shipping Weight:37.5M Pack: 42 Lbs (19.1 Kg)

Size..... 7/8" (2.22 cm) wide x 27/32" (2.14 cm) long



*Heavy duty plastic is recommended for net bag openings.



AUTOMATIC BAG CLOSURES

Series JM-NRP, KM-NRP & KM57-NRP



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES JM-NRP Striploks are available with the closure openings noted at the bottom of the page.

For bag closing machines:087, 088, 865, 872XLS, 873 and 893

For the Closure (Auto)Printer-Separator:.....898

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve** (Multi-colored packs are not available)

Packaged: Rolls of 4,000 w/10 rolls per carton (BU-0522)

Minimum Order:40,000

Approximate Shipping Weight: 40M Packs: 44 Lbs (20.0 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES KM-NRP Striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines:087, 088, 865, 872XLS and 873

For the Closure (Auto)Printer-Separator:.....898

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged: Rolls of 2,500 w/10 rolls per carton (BU-0522)

Minimum Order:25,000

Approximate Shipping Weight: 25M Packs: 40 Lbs (18.1 Kg)



HEAVY DUTY PLUS CLOSURES
UP TO 20 LBS (9.1 Kg)
CONTENT WEIGHT

0.057"
(0.145 cm)

SERIES KM57-NRP Striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines:865

For the Closure (Auto)Printer-Separator:.....898


Closure Colors available: **WHITE ONLY**

Packaged: Rolls of 2,200 w/10 rolls per carton (BU-0522)

Minimum Order:22,000

Approximate Shipping Weight: 22M Packs: 42 Lbs (19.1 Kg)

Size.....7/8" (2.22 cm) wide x 1-5/16" (4.92 cm) long



TGR-6 Not available in
Series JM-NRP



AUTOMATIC BAG CLOSURES

Series KW-NRP



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.45"
0.114 cm

SERIES KM-NRP Striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines: 872XLS PB


Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged: Rolls of 2,500 w/8 rolls per carton (BU-0522) 20M

Minimum Order: 20,000

Approximate Shipping Weight: 20M Packs: 52 Lbs (23.6 Kg)


Size..... 7/8" (2.22 cm) wide x 1-11/16" (4.29 cm) long





AUTOMATIC BAG CLOSURES

Series V-NRP



MEDIUM DUTY CLOSURES
UP TO 3 Lbs (1.4 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES V-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines:872XLS and 873


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged:Rolls of 5,000 w/15 rolls per carton (BU-0522) 75M

Minimum Order:75,000

Approximate Shipping Weight: 75M Packs: 48 Lbs (21.8 Kg)

Size 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long





AUTOMATIC BAG CLOSURES

Series Z-NRP

SERIES Z-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines: 865, 872XLS and 873

Closure Colors available: **Red, White, and Blue**
(Multi-colored packs are not available)

Packaged: 2,100/roll, 8 rolls per carton (BU-0522) 16.8m

Minimum Order: 16,800




Approximate Shipping Weight: 16.8M Pack: 56 Lbs (25.4 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long



Slotted Hanger

Hanger




AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

SERIES CJ CLOSURE-LABELS - The closure is glued to the back of the label



FRONT



BACK

SERIES CFJ CLOSURE-LABELS - The closure is glued to the front of the label



FRONT



BACK



AUTOMATIC BAG CLOSURES-LABELS

Series CJ & CFJ

SERIES CJ and **CFJ** closure-labels are custom printed in any number of colors on both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

SERIES CJ for bag closing machines:872XLS LM and 873

SERIES CFJ for bag closing machines: 087, 088, 865, 872XLS LM, 873 and 893

Medium Duty:

Closure Colors available: . Red, White, Blue, Orange, Yellow, Green and Mauve
(Multi-colored packs are not available))

Packaged:1,500/roll w/10 rolls per carton (BU-0203) 15M

Minimum Order: 45,000 (3 cartons)

Approximate Shipping Weight:15M Pack: 29 Lbs (13.2 Kg)

SERIES CJ for bag closing machines:872XLS LM and 873

SERIES CFJ for bag closing machines:087, 088, 865, 872XLS LM and 873


Heavy Duty:

Closure Colors available:Red, White and Blue
(Multi-colored packs are not available)

Packaged:1,300/roll w/10 rolls per carton (BU-0203) 13M

Minimum Order: 52,000 (4 cartons)





Approximate Shipping Weight:13M Pack: 34 Lbs (15.4 Kg)



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT



HEAVY DUTY CLOSURE
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT



*Heavy duty plastic recommended for net bag openings.



AUTOMATIC BAG CLOSURE-LABELS

Series M



SERIES M closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

SERIES M for bag closing machines:.....872XLS LM

Label Size.....7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available)

Packaged:2,000/roll w/13 rolls per carton (BU-0203) 26M

Minimum Order:26,000

Approximate Shipping Weight:26M packs: 30 Lbs. (13.6 Kg)



HEAVY DUTY CLOSURE
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)


Heavy Duty:

Closure Colors available: **Red, White and Blue**
(Multi-colored packs are not available)

Packaged:1,500/roll w/13 rolls per carton (BU-0203) 19.5M

Minimum Order:39,000 (2 cartons)

Approximate Shipping Weight:19.5M packs: 30 Lbs. (13.6 Kg)




*Heavy duty plastic recommended for net bag openings.




AUTOMATIC BAG CLOSURE-LABELS

Series P, PF & P-200



Series J with "I" webbing. Closures are connected by small plastic 'nubs'.




Series J with "NRP" webbing. Closures are connected using a patented 'wing' design.

All lok openings are available with either of the above web designs. All closures are available in either medium duty (0.030"; 0.076 cm thick) or heavy duty (0.045"; 0.114 cm thick) plastic.

Label Size.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long

SERIES P CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the back of the label.

SERIES PF CLOSURE-LABELS




The label can be custom printed on both sides. The closure is glued to the front of the label.

SERIES P-200 CLOSURE-LABELS



Custom Printed Front



Back Printed by 884 Thermal Printer

Series P-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled, and can be used in appropriate Kwik Lok Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

The 884 Print Area is 2-3/16" (5.55 cm) x 3/4" (1.91 cm) Note: The 884 cannot print directly over the closure.



AUTOMATIC BAG CLOSURE-LABELS

Series P, PF & P-200

SERIES P, PF and **P-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size.....2-3/4" (6.99 cm) wide x 7/8" (2.22 cm) long

SERIES P for bag closing machines:872XLS LM and 873

SERIES PF for bag closing machines: ..087, 088, 865, 872XLS LM, 873 and 893
for the Closure (Auto)Printer-Separator898

SERIES P-200 for bag closing machines:087, 088 and 865
for the Closure (Auto)Printer-Separator898



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURE
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Medium Duty:

Closure Colors available:**Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available))

Packaged:2,000/roll w/8 rolls per carton (BU-0203)16M

Minimum Order:48,000 (3 cartons)

Approximate Shipping Weight:16M Pack: 30 Lbs (13.6 Kg)


Heavy Duty:

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)

Packaged:1,500/roll w/8 rolls per carton (BU-0203) 12M

Minimum Order:48,000 (4 cartons)

Approximate Shipping Weight:12M Pack: 34 Lbs (15.4 Kg)



*Heavy duty plastic recommended for net bag openings.



AUTOMATIC BAG CLOSURE-LABELS

Series T, TF & T-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

SERIES T CLOSURE-LABELS



Series T closure-labels are designed to be used with Kwik Lok's 872XLS LM Automatic Bag Closing Machine. The label can be custom printed on both sides. The closure is glued to the back of the label.

SERIES TF CLOSURE-LABELS



Series TF closure-labels are designed to be used with Kwik Lok's 865, 872, & 893 Ultra Automatic Bag Closing Machines, the 087 & 088 Semiautomatic Machines and the 898 Closure-Printer Separator. The label is custom printed on both sides. The closure is glued to the front of the label.


SERIES T-220 CLOSURE-LABELS



Custom Printed Front

Trigger mark - activates 884 Printer

THIS AREA PRINTED BY 884 THERMAL PRINTER



Lower portion of label custom printed

Series T-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in various Automatic and Semiautomatic Bag Closing Machines and the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.



AUTOMATIC BAG CLOSURE-LABELS

Series T, TF & T-220

SERIES T, TF and T-220 closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.


SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

SERIES T for bag closing machines:872XLS LM and 873

SERIES TF for bag closing machines: ..087, 088, 865, 872XLS LM, 873 and 893
for the Closure (Auto)Printer-Separator898

SERIES T-220 for bag closing machines: 087, 088 and 865
for the Closure (Auto)Printer-Separator898



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT



HEAVY DUTY CLOSURE
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

Medium Duty:

Closure Colors available:**Red, White, Blue, Orange, Yellow, Green and Mauve**
(Multi-colored packs are not available))

Packaged:1,500/roll w/8 rolls per carton (BU-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approximate Shipping Weight:12M Pack: 45 Lbs (20.4 Kg)


Heavy Duty:

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)

Packaged:1,250/roll w/8 rolls per carton (BU-0203) 10M

Minimum Order: 50,000 (5 cartons)

Approximate Shipping Weight:10M Pack: 50 Lbs (22.7 Kg)



*Heavy duty plastic recommended for net bag openings.



APPENDIX

PRE-PRINTED BAG CLOSURE INFORMATION

SERIES AB, B, & G PRE-PRINTED CLOSURES

These closures are pre-printed at a Kwik Lok factory using rubber printing plates and a quick drying ink that etches the text into the plastic surface. The high speed at which the closures are printed limit the printed copy recommended to alpha-numeric characters. Logos and complex graphics, including reverse printing, is not recommended.


.....

Ink Colors: Red, Blue and Black. Multi-colored printing is not available.

Plastic Colors: Any plastic color that is available within the series can be printed as long as the ink color chosen and plastic color provide sufficient contrast to make the text copy legible. Different plastic colors can be used as long as the copy printed remains the same. Orders calling for more than one plastic color will be subject to a plastic color change.

Tooling: Printed closures within the same series group (B, AB, etc.) that call for different lok opening sizes can be grouped for pricing as long as the printed material remains the same throughout the order. Orders calling for more than one lok opening size will be subject to a tooling change charge.

Plates and Artwork: Kwik Lok can provide all layout and prep services needed. Materials produced for orders, (film, plates, etc.) will remain the property of Kwik Lok Corporation and held for the exclusive use of the customer as long as the account remains active. Materials will be deemed inactive if, after two years (24 consecutive months), the printed closure is not ordered. All materials will be destroyed and cannot be returned.



Print Area
Approximately
3/4" (1.91 cm) x
1-1/16" (2.70 cm)
Excluding Lok
Opening Area

SERIES AB, B & G PRINTABLE AREAS

Closures can be printed over most of the surface area, excluding the area where the lok opening is punched. The use of rubber printing plates allows for placement along the jaws of the closures.



APPENDIX



APPENDIX

BAG CLOSURE-LABEL INFORMATION

Kwik Lok can provide complete design services. A design mock-up can be provided at no charge, along with a quotation of all costs. Mock-up can be sent to the customer as a PDF digital file via e-mail. Using electronic PDF files allows fast, easy communications during the design process. A hard copy proof can be furnished as soon as the customer has accepted the final design. Press Proofs can be provided and shipped to the customer. Contact the production plant for Press Proof costs.

Kwik Lok closure-labels are printed on offset lithography presses. Printing inks used are 4-color process; spot colors are limited to Pantone Matching System (PMS) colors. All spot colors must be identified by PMS Numbers. The company contracts printing to outside vendors. Press check by customers, or their agent(s) is permitted and must be pre-arranged. The person making the press check must be authorized to sign-off on the press sheet.

DIGITAL ARTWORK: Customers wishing to provide their own art should send files in digital form. Kwik Lok supports the following applications: Adobe Illustrator, Adobe Photoshop, Adobe InDesign, Quark X Press. Artwork provided in other formats should be saved as an eps file. All text copy should be outlined. Linked files **MUST** be included and provided as esp or tiff files. Files can be furnished on disk, sent by e-mail or placed on our ftp site. Contact a Kwik Lok plant for ftp site instructions.

All artwork designed by Kwik Lok will remain the property of Kwik Lok Corporation and held for the exclusive use of the customer as long as the files remain active. Files will be deemed inactive if, during a period of two years, the label(s) have not been ordered. Inactive files will be permanently removed from our servers.

LABEL MATERIALS: All Kwik Lok plants stock two basic label materials: Coated one side (C1S) paper tagboard, white, 10pt.; a synthetic material, white, 10 mil. The Yakima plant also has access to coated two-side tagboard, white, 10 pt.


Special materials: Generally we do not accept orders calling for specialty materials. All material must be pre-approved by Kwik Lok; samples of special materials must be provided for tests to test compatibility of materials with our production equipment.

COMBINING LABEL VARIETIES FOR PRICING: Label orders containing more than one label can be combined for pricing as long as the labels are printed with spot colors and **ALL** colors remain identical. 4-Color process labels cannot be combined for pricing.


Labels combined to obtain a lower unit price may be subject to one or more additional charges such as: Press changes, tooling changes, variety changes, etc.

FLOW DIRECTION: Some labels must be matched with the Kwik Lok machines that will be used to close the bag using the closure-label. Machines that are designated as **RIGHT HAND** or **LEFT HAND** can only use labels that are produced as **RIGHT HAND** or **LEFT HAND** labels. This information can be obtained from the Kwik Lok machine's serial number plate. The last letter of the **MODEL NUMBER** will be either **R** (right hand) or **L** (left hand). If there is any question, please provide us with the serial number(s) of the machines that will be used to close the bag with the closure-labels being ordered.

DETERMINE FLOW DIRECTION: 872, 873 & 893 AUTOMATIC MACHINES - ALSO 865 (HORIZONTAL PKGS.)



DETERMINE FLOW DIRECTION: 865 AUTOMATIC MACHINES (VERTICAL PACKAGES)





APPENDIX

BAG CLOSURE-LABEL INFORMATION

SERIES C COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.


Copy Position #1




Copy Position #2



Copy Position #3



SERIES C CORNER SHAPES



All Four Corners
Square



All Four Corners
3/8" (0.95 cm) Radius



Top Two Corners: 11/16" (1.75 cm) Radius
Bottom Two Corners: 3/8" (0.96 cm) Radius
or
Top Two Corners Only: 11/16" (1.75 cm) Radius



APPENDIX

BAG CLOSURE-LABEL INFORMATION

SERIES T COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Two basic Copy Positions are possible as noted below. Closure is always glued on the corner of the label.

Copy positions apply to Series T, TF, TFM, T-220. RIGHT HAND SHOWN - LEFT HAND OPPOSITE.



Copy Position #1



Copy Position #2

SERIES T CORNER SHAPES

Also TF, T-220, TFM



Three Corners Rounded
3/8" (0.95 cm) Radius



Four Corners Square



APPENDIX

BAG CLOSURE-LABEL INFORMATION

SERIES U CORNER SHAPES

Also Series U-34




All Four Corners
3/8" (0.95 cm) Radius



All Four Corners
Square

SERIES U COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.






APPENDIX

BAG CLOSURE-LABEL INFORMATION

PRICE-CODE AREA

Series CR, U & L

Kwik Lok's 086 Semiautomatic Bag Closing Machine can be purchased with a printer to print dates, prices, lot codes, etc. on the label as the bags are being closed by the machine. The code area must be kept free of copy and graphics. Code area is shown below.




Code Area Dimensions: 7/8" (2.22 cm) wide x 9/16" (1.42 cm) deep, centered on label.

Note: The printer requires an absorbant surface. The front of the label (facing out towards the consumer) will be printed on the uncoated side of our standard C1S Tagboard.


SERIES C & CA

Label Size: 1.937" (4.92 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL





BACK OF LABEL






Bleed Area: 2.188" (5.55 cm) x 2.5" (6.35 cm)

ALTERNATE CLOSURE POSITIONS




CORNERS CAN BE SQUARE OR ROUNDED. ROUNDED CORNER OPTIONS BELOW



SERIES CJ: LEFT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long




ALTERNATE CLOSURE POSITION
CORNERS CAN BE SQUARE OR ROUNDED.


SERIES CJ: RIGHT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL




BACK OF LABEL




Bleed Area: 2.187" (5.56 cm) x 2.5" (6.35 cm)

FRONT OF LABEL



BACK OF LABEL




ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED.

SERIES CFJ: LEFT HAND

Label Size: 1.937" (4.92 cm) wide x 2.25" (5.72 cm) long





ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED.

SERIES CFJ: RIGHT HAND

Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long




CORNERS CAN BE SQUARE OR ROUNDED.

SERIES CR


Label Size: 1.937" (4.94 cm) wide x 2.25" (5.72 cm) long

FRONT OF LABEL





Bleed Area: 2.187" (5.56 cm) x 2.5" (6.35 cm)




BACK OF LABEL



ALTERNATE CLOSURE POSITIONS




CORNERS CAN BE SQUARE OR ROUNDED. ROUNDED CORNER OPTIONS BELOW




Series L

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




Series M Left Hand

Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long




Series M Right Hand

Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long



Series MS


Label Size: .875" (2.22 cm) wide x 1.375" (3.49 cm) long



Series P Left Hand


Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)

BACK OF LABEL



Series P Right Hand


Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


BACK OF LABEL




Series PF Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


Series PF Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)


Series PS

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long

FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) x 1.125" (2.85 cm)

Series P-100

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




The P-100 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the coated side of the label facing up. This is the side on which the 884 will print.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated.

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the custom printed side of label require coated paper.


Series P-200 Left Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long



Series P-200 Right Hand

Label Size: .875" (2.22 cm) wide x 2.75" (6.98 cm) long




The P-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).


Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

SERIES T: LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




FRONT OF LABEL




BACK OF LABEL

Bleed Area: 3" wide (7.62 cm) wide x 3" long (7.62 cm)



ALTERNATE GLUE POSITION: FRONT





ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius

SERIES T: RIGHT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



ALTERNATE GLUE POSITION: FRONT


ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius


SERIES TF: LEFT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT




ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius


SERIES TF: RIGHT HAND

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3" (7.62 cm) wide x 3" (7.62 cm) long



ALTERNATE GLUE POSITION: FRONT




ALTERNATE GLUE POSITION: BACK

Corners can be Square or with .375" (.95 cm) Radius

SERIES T-210


Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



ALTERNATE GLUE POSITION


SERIES T-220: Left Hand

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long



SERIES T-220: Right Hand

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




ALTERNATE GLUE POSITION: FRONT


Corners can be Square or with .375" (.95 cm) Radius

SERIES U

Label Size: 2.75" (6.98 cm) wide x 2.75" (6.98 cm) long




Corners can be Square or with .375" (.95 cm) Radius




SERIES U34

Label Size: 3" (7.62 cm) wide x 4" (10.16 cm) long

FRONT OF LABEL



BACK OF LABEL



Bleed Area: 3.25" (8.26 cm) x 4.25" (10.80 cm)

Corners can be Square or with .375" (.95 cm) Radius




APPENDIX


63-DJ AND 64-DV DISPENSER



The **63-DJ and 64-DV Dispensers** are inexpensive, portable, “table-top” models constructed of ABS plastic. With no moving parts the units are virtually maintenance free and extremely simple to use.



63-DJ uses the DJ Closure.



63-DV uses the DV Closure.

DISPENSER SPECIFICATIONS



Size: 9” (22.86 cm) wide x 10-3/4” (27.31 cm) long x 4-1/4” (10.80 cm) high
Material: ABS Plastic
Approximate Shipping Weight: (2 per carton).....4 Lbs (1.8 Kg.)




APPENDIX

68-DJ AND 69-DV ISLAND DISPENSER

The **68-DJ and 69-DV Dispensers** are models designed to sit under roll stock in the produce department.



68-DJ uses the DJ Closure.




69-DV uses the DV Closure.



APPENDIX

70-DJ AND 71-DV VALANCE DISPENSER

The **70-DJ and 71-DV Dispensers** are designed to be attached to the valance in the produce department. It can be attached on the face or on the top of the valance.




GP-1



70-DJ uses the DJ Closure.

GP-0



71-DV uses the DV Closure.



APPENDIX



72 BULK DISPENSER CUP



The **72 Dispenser** allows closures or closure-labels to be placed loose in the 72 'Cup' Dispenser.

The 72 Dispenser uses any of the following:

- A, B, F & G Closures
- A-M Closures
- AA, AB, FA and GA Closures
- CB-2 Closure-Labels
- MS-B2 Closure-Labels
- PS-B2 Closure-Labels








APPENDIX

76A AND 76B DISPENSERS

The **76A Valance Dispenser** can be directly attached to the valance in the produce department.



The **76B Island Dispenser** can be attached to the roll stock stand with one of two brackets listed below.



The **76A and 76B Dispensers** use "C" and CB-2 Closure Labels



Series CB-2




APPENDIX

76A AND 76B DISPENSERS



The **76B Valance Dispenser** can be mounted in the produce department three different ways, shown below.

76B-VALANCE INSTALLATIONS





APPENDIX

814 PRODUCE DISPENSER KIT

The **Type 814 Dispenser** is constructed of virtually unbreakable ABS plastic. They can be mounted to any flat, clean surface using double-sided tape (provided).

The 814 can be used with any of the following:

- AA Closures
- AB Closures
- AD Closures
- CA Closure-Label
- CB-2R Closure Label
- VA Closures



814 Kwik Lok Dispenser

814B w/826 ADAPTER BRACKET SET

The **826 Adapter Bracket Set** permits the 814 Dispenser to be installed on existing roll bag mounts. Two or four bolts (depending on roll bag mount) quickly secures the adapter bracket to the mount. Two self-tapping screws attach the dispenser to the brackets.



861 ADAPTER BRACKET SET

The **861 Adapter Bracket Set** permits the 814 Dispenser to be mounted on Island Bag Stands.

The 861 fits stands with a 3/4" O.D. (1.9 cm) pipe; the 861-B fits stands with a 7/8" (2.22 cm) pipe.



APPENDIX


814 PRODUCE DISPENSER KIT



814B w/075 VALANCE MT BRACKET-FACE

The **074 (top) and 075 (face) Valance Brackets** allows the 814 Dispenser to be directly mounted to the top of face of the valance above the produce.

074 and 075-VALANCE INSTALLATIONS





APPENDIX

BAG SIZING: LOK OPENING SIZE

The purpose of this article is to provide an aid in the selection of a closure opening for a particular size and type of bag. This article contains a chart that places similar sized openings into groups and two charts that are used to determine which group a bag fits into. There is also a listing of bag types with generalized notes on closure opening recommendations.

Note: Polyethylene bags differ depending on what agents are added to the resin and what coatings/printing are applied and these variables can impact the ability of the Closer to pack a bag into what would appear to be the proper opening. Due to the potential inaccuracies of the charts, methods of closing and bag variables, this article is only an aid in determining closure opening selection. Official bag sizing recommendations must originate from Kwik Lok Yakima.

Chart 1: All of the available openings are placed in order, beginning with the smallest on the left and ending with the largest on the right. The order of arrangement is determined by the lok opening size. The majority of the openings are placed into groups. Charts 2 and 3 refer back to these Groups.

Chart 2: Use this chart for sizing small to medium sized polyethylene type bags. As an example: A bag with a width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C. From Chart 1 select the opening from Group C depending on the method of application. Opening #1 for hand applied, Opening GP-3 for Semiautomatic closing and Opening TGR-3 for Automatic closing.

Chart 3: Use this chart for sizing heavy mil and wide polyethylene type bags. See Chart 2 paragraph above for usage information.

Bag Type: General Information

CLAF (Full): Generally closed with a KM-NRP or Z-NRP TGR opening.

CLAF (Partial): This type of bag is of CLAF material with an all polyethylene top. Use Charts 2 and 3. However, the closure opening will not accommodate the CLAF material that can occur if attempting to close a tight package.

Drawstring: (Example: Leno onion bag) Three net openings (N-0, N-0/1, and N-1) are used to close drawstrings depending on size of string and available opening in a chosen series. See 'Mesh' below.

Foil: (Example: Bread Bag) Use Charts 2 and 3. Increase the opening size recommendation by one group.

Leno: This rather stiff mesh material requires a large opening. Generally a Z-NRP #6 is used.

Mesh: (Example: soft knitted net potato bag) Generally closed with a K-NRP or KM-NRP TGR type opening. Note: When replacing a drawstring with a closure it is not recommended that the length of the bag needs to be increased so that there is enough bag top for the Closer to work with.

Paper: (Paper-poly combo): Example: Bread Bag). Generally a KW-NRP R5B closure is recommended and in some cases the KM-NRP TGR-6 is utilized.

Polyethylene: (Example: Standard U.S. bread bags) Use Charts 2 and 3.

Polyethylene w/anti(low)-slip agent: (Example: 20 Lb carrot bag). Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer.

Polyethylene for ice bags (or other cold room environments): Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer. It is not mandatory but recommended to use an opening without side-teeth (Example: Instead of a TGR-5 use a #3 opening).

Polyethylene Master: (Example: Twin-packed bread bag) Typically a KM-NRP TGR-6 or a Z-NRP TG-7 closures is used to close the outer bag of a multiple bread loaf package.

The large opening size is used to accommodate up to all bag necks, which includes the inner bags.


Polypropylene: (Example: Bag produced by a Vertical Form and Fill Machine) Use Charts 2 and 3. Increase the opening size recommended closure by two groups A bag width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C (TGR-3) but the recommended closure opening is increased to Group E (TRG-5).

Vexar/Extruded Net: These bags are closed with any of the N style openings. It is best to select the tightest opening possible. It is also recommended that, in most cases, heavy duty plastic be specified.




APPENDIX CHART 1

Volume of Closure Openings
Chart 1






APPENDIX CHART 2





APPENDIX CHART 3



LOK OPENING SIZE FOR POLYETHYLENE BAGS
CHART 3



APPENDIX

SHIPPING CARTON DIMENSIONS

CARTON #	APPROXIMATE OUTSIDE DIMENSIONS (Length x Width x Height)	VOLUME
BU-0004	38.1 cm x 23.2 cm x 49.2 cm 15" x 9-1/8" x 19-3/8"	0.043 m ³ 1.530 cu. ft
BU-0005	12.4 cm x 9.2 cm x 62.5 cm 4-7/8" x 3-5/8" x 24-5/8"	0.007 m ³ 0.250 cu. ft
BU-0006	12.4 cm x 8.9 cm x 49.2 cm 4-7/8" x 3-1/2" x 19-3/8"	0.005 m ³ 0.190 cu. ft
BU-0007	34.0 cm x 29.5 cm x 61.3 cm 13-3/8" x 11-5/8" x 24-1/8"	0.061 m ³ 2.170 cu. ft
BU-0129	38.1 cm x 38.1 cm x 17.5 cm 15" x 15" x 6-7/8"	0.025 m ³ 0.900 cu. ft
BU-0203	34.6 cm x 34.6 cm x 73 cm 13-5/8" x 13-5/8" x 28-3/4"	0.087 m ³ 3.090 cu. ft
BU-0204	31.4 cm x 31.4 cm x 76.5 cm 12-3/8" x 12-3/8" x 30-1/8"	0.076 m ³ 2.670 cu. ft
BU-0233	19.1 cm x 10.5 cm x 31.8 cm 7-1/2" x 4-1/8" x 12-1/2"	0.006 m ³ 0.220 cu. ft
BU-0522	35.9 cm x 35.9 cm x 38.7 cm 14-1/8" x 14-1/8" x 15-1/4"	0.049 m ³ 1.760 cu. ft
BU-0719	33 cm x 30.8 cm x 17.8 cm 13" x 12-1/8" x 7"	0.018 m ³ 0.640 cu. ft
BU-0733	25.7 cm x 25.7 cm x 26.4 cm 10-1/8" x 10-1/8" x 10-3/8"	0.017 m ³ 0.620 cu. ft
BU-0906	39.4 cm x 20.6 cm x 14.9 cm 15-1/2" x 8-1/8" x 5-7/8"	0.012 m ³ 0.430 cu. ft



APPENDIX

TERMS AND CONDITIONS

TERMS: All Kwik Lok Products are sold EXW. Normal terms are net cash 30 days. Custom printed closure-labels, automatic equipment and large volume orders may require payment in advance.

CLOSURE WARRANTY: Closures are warranted to be free of manufacturing defects. Closures are guaranteed to be usable for one-year after manufacturing date. Closure-label warranty is void if closure-labels are stored at temperatures below 32°F (0°C) or over 100°F (37.8°C). We do not suggest closure-labels be stored in metal sheds or buildings that are not adequately protected from heat.

RETURNED GOODS: All products returned to Kwik Lok must be pre approved and issued a RMA number. The RMA number must be on all documents, including the bill of lading and/or cartons. Products arriving at any Kwik Lok factory without pre approval and a RMA number will be refused and returned to shipper.



Kwik Lok Ltd.

Bay 72, Shannon Industrial Estate
Shannon Airport, Co. Clare, IRELAND
011-353-6--147-1193
FAX: 011-353-6-147-2683 - TELEX: 852-6252
Internet: info@kwiklok.ie